Lampiatta




Pendant Luminaires | 220-240 V | 1xE27 **8988**





Technical data	
Designer	De Pas - D'urbino - Lomazzi
Construction year	1971
Туре	Pendant Luminaires
Installation position	Ceiling
Installation environment	Indoor
Lamp cap	1 x E27
Light emission direction	downward
Frequency	50-60 Hz
Optics	Diffused
Safety class	1
IP	IP20
Glow wire test	650°
Direct mounting on normally flammable surfaces	Yes
CE	Yes
Dimmable article	No
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	Yes
Cable length	2.5 m
Resin potting	No
Net weight	1.44 Kg





Finishing diffuser	
Material	Aluminium - Aluminium
Colour	White RAL 9016 - Black RAL 9005
Processing	Powder coating - Powder coating

Finishing mounting frame			
Material	metal		
Colour	White RAL 9016		
Processing	Coating		

2500 mm

Max cable length

Lampiatta



Pendant Luminaires | 220-240 V | 1xE27 **8988**

Single emission pendant luminaires for indoor application. LED lamplamp included, lamp cap 1xE27.

The diffuser is made of aluminium with a powder coating treatment the diffuser is made of aluminium with a powder coating treatment; the mounting frame is made of metal, with a white ral 9016 finish, processed by means of coating. The ingress protection degree is IP20; the total weight is of 1.44 kg.

. The power supply cable is included and features a 2.5 m length.

The device features protection class I and can be ceiling-mounted.

Compliant with the EN 60598-1 standard and its specific provisions.

Energy efficiency class

This product contains a light source of energy efficiency class A+.

Illuminotechnical Features		
Source lumens	1520 lm	
Colour temperature	2700 K	
Colour rendering index	80 Ra	